# Shanghai Leadgo-Tech Co.,Ltd.

地址: 上海浦东康桥东路1365弄18号 POST: 201319 ADD: 18#, NO.1365,East Kangqiao Road.Pudong Area.Shanghai 201319 China TEL:0086(0)21 68183116 68183117 68183118 Fax:0086(0)21 68183100



Document NO. LG-YF-PP-46 Edition A/O

# RF320PM PTFE Glass Fabric

### DESCRIPTION

RF320PM is a porous PTFE coated glass fabric, has a low resin absorption capacity. Without any residual when peels off from the surface of composite.

### ◆ CHARACTERISTIC

- · Smooth surface with low friction coefficient, well insulativity and anti-adhesive
- Easy to peel off
- Good temperature resistance

#### ◆ PROPERTIES

Specifications		
Colour	Brown/Coffee	
Thickness/in	0. 003	
Width/in	50	
Weight[g/m²]	84	
Maximum Use Temperature/°F	610 (320℃)	

Physical Properties		
Tensile Strengt (MD) /[N/2.0in]	GB/T 3923.1	≥330
Tensile Strengt (TD) /[N/2.0in]		≥310

#### ◆ RECOMMENDED PROCESS

RF320PM has breathability, easy to clean attachments on its surface. Recommend being used in cure process below  $610^{\circ}$  F ( $320^{\circ}$ C), especially for long time work.

## **◆** STORAGE

RF320PM is packed in roll. Recommend being packed in polyethylene bag and wrapped in clean cardboard sleeve or any other materials which have the same function, used and stored in a clean and relative humidity environment about 30%-70%RH and 40  $-80^{\circ}$  F (5-25°C). Shelf time: 2 years.